

S16	193	(715/532).CCLS.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/21 14:37
S17	0	compare near3 phrase\$1 with filter same edit\$3	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/21 14:38
S18	1	compare near3 phrase\$1 with filter and edit\$3	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/21 14:39
S19	1	compare with phrase\$1 with filter and edit\$3	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/21 14:39
S20	1	compare with phrase\$1 same filter and edit\$3	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/21 14:39
S21	94	compare with phrase\$1	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/21 14:39
S22	76	"6029182"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/02 16:38
S23	2	((("6029182") or ("5537534")).PN.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/02 16:41
S24	3	offset near3 vector with tag	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/02 16:45
S25	2038	structure\$1 adj document	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/02 16:45
S26	830	structured adj document	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/02 16:45
S27	4	S26 and offset and vector	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/02 16:45
S28	6	("5838323" "5918240" "5924108" "5963940" "5983216" "6018733").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/03 14:31
S29	10	tag with offset with vector	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/03 14:32
S30	40	("4994966").URPN.	USPAT	OR	OFF	2005/12/03 15:13
S31	6	map adj index with offset	USPAT	OR	OFF	2005/12/03 15:15
S32	3	map adj index with tag and document	USPAT	OR	OFF	2005/12/03 15:15

S49	40193	data adj stream	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 15:37
S50	262	S49 with formatter	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 16:15
S51	0	S50 with layout	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 15:37
S52	0	S50 same layout	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 15:38
S53	22	S50 and layout	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 15:47
S54	79	S50 and instruction	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 15:47
S55	6	S54 and identifier	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 15:47
S56	0	formatter with identifier with region	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 16:16
S57	48	format with identifier with region	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 16:18
S58	99	layout adj parameter	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 16:18
S59	35	S58 and format	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/04 16:18
S60	9	S59 and identifier	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:01
S61	4	layout adj identifier	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:47
S62	5	database with stream with layout	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:48
S63	5	data adj stream with layout same parameter	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:37
S64	30	template with layout with parameters	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 16:34

S65	1	("6826727").PN.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 17:53
S66	439	data adj stream with document	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 17:53
S67	115	S66 and parameter	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 17:54
S68	95	S67 and format	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 18:54
S69	9	associate near3 identifier with record	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 18:54
S70	66	("5267155").URPN.	USPAT	OR	OFF	2005/12/05 18:56